

GOVERNMENT OF THE DISTRICT OF COLUMBIA

District Department of the Environment

Air Quality Division



February 3, 2012

David Watkins, Director
Armed Forces Retirement Home - Washington
3700 North Capital Street, NW
Washington, DC 20317

Subject: **Draft Title V Operating Permit (Permit No. 017-R2)**

Dear Mr. Watkins:

The Air Quality Division (AQD) of the District Department of the Environment has prepared a Draft Title V operating permit pursuant to Chapters 2 and 3 of Title 20 of the District of Columbia Municipal Regulations (20 DCMR 200 and 300). This permit, satisfying applicable regulations, is enclosed. Note that this permit, when issued, will be issued pursuant to the Department's authority under both Chapter 2 and Chapter 3, as mentioned above.

As the responsible official for the equipment covered by this permit at Armed Forces Retirement Home – Washington, it will be your responsibility to review, understand, and abide by all of the terms and conditions of the attached permit once it becomes final and to ensure that any person who operates any emission unit subject to the attached permit does the same.

This draft permit will be subject to a 30-day public comment period beginning February 3, 2012. Armed Forces Retirement Home - Washington, affected states (Maryland, Virginia and West Virginia), the U.S. Environmental Protection Agency (EPA), and the general public may comment on the draft permit during this review period. Upon closing of this review period the permit may be modified to address comments received during this period. If no significant comments are received during the public review period of the draft permit, the permit will continue with an EPA review period of up to an additional 15 days for final EPA review. Otherwise, all comments will be addressed and the permit will then be issued as a proposed permit for EPA review only for a period of up to 45 days.

If EPA does not object to issuance of the permit during this period, the permit will be issued as a final permit and will become fully enforceable. If EPA raises objections during this period, the objections will be addressed as necessary by issuance of a modified draft permit.



Transmittal of Prenotification Draft Title V Operating Permit No. 017-R2


Armed Forces Retirement Home - Washington

February 3, 2012

Page 2

If you have questions or comments or need further information, please write to this office or contact Olivia Achuko at (202) 535-1354.

Sincerely,



Stephen S. Ours, P.E.

Chief, Permitting and Enforcement Branch

Air Quality Division

Attachment: 1

SSO:NOA

02351