



District Data Collection Worksheet

Energy Benchmarking of Existing Buildings

INSTRUCTIONS AND GUIDANCE

- [1. Overview](#)
- [2. General Instructions](#)
- [3. Reminders and Updated Guidance](#)
- [4. Collecting Data for Multiple Buildings](#)

WORKSHEETS

- [Worksheet A. General Building Information](#)
- [Worksheet B. Property Use Attributes](#)
- [Worksheet C. Meter Data](#)

INSTRUCTIONS AND GUIDANCE

1. Overview

This worksheet provides guidance to building owners or their agents (such as property managers or service providers) on the data that needs to be collected in order to benchmark buildings using the U.S. Environmental Protection Agency's (EPA) ENERGY STAR[®] Portfolio Manager[®] tool in accordance with the requirements established by the Department of Energy and Environment (DOEE). This document also contains instructions and guidance for proper reporting.

This worksheet covers requirements for 2018 data reporting, due to DOEE by April 1, 2019. All privately-owned buildings over 50,000 gross square feet are required to report. DOEE is updating this guidance document to improve clarity on the requirements of reporting.

In order to benchmark the building, you must gather property use and calendar-year utility data for the building, including from your non-residential tenants. All the data required to be gathered from tenants and utility companies can be found on this worksheet. Non-residential tenants are required by law to provide you with access to the data needed for benchmarking within thirty (30) calendar days of receiving a written request (20 DCMR 3513.6). For your convenience, the Department of Energy and Environment (DOEE) has also created a *Non-Residential Tenant Information Form* that you can optionally use to request information from the tenants. Even if you are already in possession of the utility information for the tenant spaces, you may still need to collect property use information. **You do not need to collect any space or utility information directly from residential tenants.**

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

All DOEE forms, along with a comprehensive Frequently Asked Questions (FAQ) document, can be found at <http://doee.dc.gov/energybenchmarking>. You can find technical information and training resources on Portfolio Manager at <http://www.energystar.gov/benchmark>.

For technical support, please contact the Benchmarking Help Center by phone at 202-671-3300 or by electronic mail at info.benchmark@dc.gov.

2. General Instructions

2.1 About Portfolio Manager

Portfolio Manager[®] is a widely-used, free, online software tool, designed by EPA to help building owners and managers track and manage energy and water use in their buildings.. The tool requires basic information such as building size, occupancy patterns, and utility information to measure the performance of a building. All types of buildings can be entered into Portfolio Manager[®] to receive an analysis of their energy and water efficiency, including a weather-normalized Energy Use Intensity (EUI). Twenty-one building types can also receive a 1-100 score comparing them with similar buildings. The score is calculated by comparing a building's EUI to buildings within the same peer group, based on the statistically significant property use attributes that are inputted into the tool. Your property type may not be one that is eligible to receive a 1-100 score. However, properties that do not receive a score can still be benchmarked properly in Portfolio Manager[®]. Additionally, the score is not required for reporting to the District and non-eligible building types are still required to submit an annual report.

2.2 General Steps to Benchmarking and Reporting

1. **Identify** buildings larger than 50,000 gross square feet.
2. **Collect** the data needed to benchmark, as detailed on this worksheet.
3. **Benchmark** by entering the data in ENERGY STAR[®] Portfolio Manager[®]
 - a. Create an account
 - b. Create properties
 - c. Enter data on property uses
 - d. Enter energy and water meter data
 - e. Select 'Check for Possible Data Errors' to identify common errors or missing data
4. **Report** the data to DOEE. Once benchmarked, it is necessary to submit the data to DOEE through Portfolio Manager[®], as described below. *Remember that this guidance document is just a worksheet and does not need to be sent to DOEE.*
 - a. Download reporting template and instructions from:
<http://doee.dc.gov/page/report-benchmarking-data>.
 - b. Follow the instructions to verify data accuracy and send the data to DOEE.
 - c. Save all records for 3 years past the submission date.

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

2.3 Overview of Required Data:

- **General Building Information ([Worksheet Section A](#)).**
 - The building's name, street address, and original year built.
 - The building's gross floor area. For the benchmarking regulation, DOEE uses the definition of floor area from Portfolio Manager. (20 DCMR 3513.2(a)):

“The Gross Floor Area (GFA) is the total property square footage, measured between the principal exterior surfaces of the enclosing fixed walls of the building(s). This includes all areas inside the building(s) including supporting areas. GFA is not the same as rentable space, but rather includes all area inside the building(s). Include in GFA: lobbies, tenant areas, common areas, meeting rooms, break rooms, atriums (count the base level only), restrooms, elevator shafts, stairwells, mechanical equipment areas, basements, [and] storage rooms. Do not include in GFA: exterior spaces, balconies, patios, exterior loading docks, driveways, covered walkways, outdoor play courts (tennis, basketball, etc.), parking, the interstitial plenum space between floors (which house pipes and ventilation), [and] crawl spaces.”

(U.S. EPA ENERGY STAR, “Glossary: Gross Floor Area,”
<https://portfoliomanager.energystar.gov/pm/glossary#GrossFloorArea>)
 - The Real Property identification number assigned by the District of Columbia. DOEE published a list of these identification numbers for those buildings recorded as having a floor area of over 50,000 sq. ft. by the District of Columbia Office of Tax and Revenue, at <http://doee.dc.gov/page/am-i-required-benchmark>. The number(s) should be entered in Portfolio Manager[®] as the ***District of Columbia Real Property ID*** in the “Standard ID” list. If you have previously reported to DOEE, you should find this new field pre-populated with the correct ID. For most properties, the correct ID is the property's Square-Suffix-Lot (SSL) number. Older properties may have a Parcel number. If your property covers multiple tax lots, and is not a condominium, enter all included SSL numbers, separated by a semicolon (e.g., 1234-5678; 2345-6789). Condominium buildings are assigned a single complex number (the Square-Suffix-Regime number).
 - **Occupancy Rate: Make sure to correctly use and keep updated the occupancy percentage for your building.** Furthermore, vacant space has special entry requirements in Portfolio Manager, which differ by property type. Independent research funded by DOEE found that incorrect benchmarking of vacant space is one of the major causes of inaccurate ENERGY STAR scores. If more than 10% of your space is vacant, please contact DOEE's Benchmarking Help Center at info.benchmark@dc.gov for guidance on how to properly report your vacant space.

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

- **Property Use Attributes ([Worksheet Section B](#)):**
 - The building's gross floor area and key operating characteristics for the building type, or each major space type within a building, should be reported. Please reference the appropriate sections of this form when using Portfolio Manager[®] for the purpose of reporting to the District. **Please note that although some information fields may be listed as *optional* within Portfolio Manager, the District has additional data requirements that Section B incorporates; these fields are highlighted in grey block.**
 - **The use of actual data, not default values, is required wherever possible.** If you do not provide required property use information, Portfolio Manager will substitute default values. The benchmarking regulation requires the submission of a “complete and accurate” report by April 1 of each year, a building owner shall timely authorize the transfer to the District of a complete and accurate District Benchmark Results (20 DCMR 3513.8), and a report that uses default values, where they differ from the actual usage, is not considered to be accurate. DOEE usually does not allow the use of default values for benchmarking. Furthermore, independent research funded by DOEE found that the use of default values is one of the major causes of inaccurate ENERGY STAR scores.
- **Meter Information ([Worksheet Section C](#))**
 - Usage for **all fuel types and water** must be reported for calendar year 2018. Because most bills do not begin on the first of the month and go to the last day of the month, you will need to include up to 14 consecutive months of utility usage, including the start and end dates for each bill so that your data is inclusive of January 1, 2018 to December 31, 2018. If you are missing any part of the year, Portfolio Manager[®] will report “N/A” for your building's Energy Use Intensity (EUI) or Water Use Intensity (WUI) **If your building's Site EUI, Weather-Normalized Source EUI, or (WUI) for 2018 is "N/A," DOEE will not be able to accept your report.** If you do not have this information readily available, contact your utility provider(s). Utility contact information is provided in Section C.
 - If energy or water is individually metered for any *non-residential* tenants within your building, then you must request this information from your non-residential tenants to complete the benchmarking process. If you have five or more tenants, you can get whole-building electricity data directly from Pepco and Washington Gas instead of from the tenants. *You are also required* to obtain aggregate energy and water data for all your individually-metered residential tenants. **This aggregated information can be obtained directly from Pepco and Washington Gas instead of from each tenant.**

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

- **Property Notes** ([Worksheet Section B.4](#))

- **Required:** As discussed above, you are required to request property use and energy and water consumption data from all your non-residential tenants—unless the tenant space may be excluded, as discussed in section 3.3 below. If any non-residential tenants do not provide you the required data, you must record the tenant’s name, contact information, and total gross floor area leased in the notes field in Portfolio Manager (20 DCMR 3513.4(b)).
- **Optional:** If you have additional information about your building that you would like to submit to help clarify a poor score or EUI, you may publish this information by entering it in the notes field in Portfolio Manager. Such information may include a description of past or future plans for a building, or legal restrictions that may limit your ability to make upgrades. You must expressly authorize DOEE to make some of the text made public, as DOEE will by default not make any notes field data public. *The notes field currently allows a maximum of 1,000 characters; to conserve space, DOEE requests that you enclose the text you want to be made public with “#” on each end.*

3. Reminders for Reporting of 2018 data

3.1 Transfer of Ownership

Per the provisions of the Sustainable DC Act of 2014 (D.C. Official Code § 6-1451.03(c)(2)(E)), when a property is transferred, the seller is required to provide the buyer with the information necessary for the buyer to submit a complete benchmarking report in a timely manner. Once in possession of a full calendar year of data comprising both the period of their ownership and the period of the seller’s ownership, the buyer/new building owner must submit a complete and accurate benchmarking report to DOEE by April 1 of the year after the building is transferred. In order for the buyer to meet this requirement, the seller has a few options in terms of transferring the information (click the links for instructions from EPA ENERGY STAR):

1. [Transfer Property Data Administrator privileges](#) in Portfolio Manager to the buyer
2. [Share the property, with “Full Access,”](#) in Portfolio Manager with the buyer
3. Provide the buyer with the following information for the time period that the property was in the seller’s possession:
 - Correct space use information; and
 - Utility bills for all energy and water sources for the year the building was sold from January 1 of the year the property was sold up to the last bills paid by the seller. If there are five or than more tenants in the building with separate electrical and/or gas meters, the new owner may also get aggregated consumption data

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

directly from Pepco and/or Washington Gas. See Section 3.2 for more information.

If the new owner is unable to get the required data, you may submit a partial report with the data you do have, and then follow-up with DOEE in writing to provide explanation and documentation as to your efforts to acquire the needed data. DOEE will evaluate the new owner's submission on a case by case basis.

3.2 Whole Building Energy Data

Whole building reporting for **all** energy utilities is required for all types of buildings, including multifamily buildings. Building owners or managers of residential, multifamily buildings with separate metering *must* request aggregate data from Pepco and/or Washington Gas as described in [Worksheet C](#). Both these utilities now provide access to aggregated whole building data, as required by the Sustainable DC Act of 2014, and thus the use of whole building data is required, per 20 DCMR 3513.7(a)(2).

Pepco continues to offer their [Resource Advisor tool](#), which allows you to automatically load your building's electricity data directly into Portfolio Manager® to calculate your ENERGY STAR® score. There is no fee for using Resource Advisor. For natural gas customers, [Washington Gas offers an online tool called Utilli](#), allowing users to electronically access and extract natural gas usage data, as well as sync that data to ENERGY STAR Portfolio Manager. Utilli can also be used to request aggregate whole building data electronically and make any necessary authorization requests from tenants. Use of Utilli is free and data gathered will be used to calculate a building's specific ENERGY STAR® score. **Note that if you are using both Resource Advisor and Utilli, consumption data for other energy sources (i.e. Heating Fuel Oil) and water must still be entered into Portfolio Manager manually or by uploading spreadsheets.**

3.3. Excluding Certain Non-Ratable Commercial Spaces

Spaces that meet the definition of one of the property use types eligible for an ENERGY STAR score in Portfolio Manager (i.e. following the [EPA guidance on ratable space types](#)) cannot be excluded *under any circumstances*. If such a property use type is excluded from Portfolio Manager, the property cannot earn an accurate score. When entering data, DOEE recommends (but does not require) grouping all instances of a single property use type together, unless they vary dramatically in operating characteristics.

It is best practice to include all of a property's floor area when benchmarking. All commercial property uses that do not qualify as one of the types eligible to earn an ENERGY STAR score

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

can be benchmarked as a subtype of the category “Other.” You may exclude a portion of the property from the benchmarking report if, and only if, *all* of the following conditions are met:

1. The property use and energy use patterns are significantly different than those of the rest of the building (for example: A restaurant or a gym in an office building);
2. The space is less than 10% of the building’s gross floor area;
3. The space must not be a type eligible to receive an ENERGY STAR score;
4. The space’s energy use is separately metered or sub-metered for all energy sources, so that both the space’s floor area and total energy consumption can be excluded from the benchmarking report; and,
5. The building as a whole is eligible to receive an ENERGY STAR score.

If all of the above conditions are met, then that space, and only that space, can be excluded from the building’s record in Portfolio Manager, including the building’s total gross floor area. These exclusion guidelines do not affect whether the building as a whole is required to report.

3.4 Check for Possible Data Errors

Portfolio Manager incorporates a “[Data Quality Checker](#)” tool, accessible from the Summary Tab of each property in the ‘Check for Possible Data Errors’ panel. This checker runs a simple verification that compares your data with typical values. The checker then issues alerts that will help you identify energy values and property use details that are unusual given your building’s use, possible typos, incorrect meter readings, missing information, incorrect units of measure, and other common data entry issues. If a value is flagged that is actually accurate, you can provide an explanation. The data quality checker is currently only available for property types that are eligible for a 1-100 score. ***DOEE highly recommends that you run this checker, with “December 2018” as the timeframe, before submitting to DOEE, if it is available for your property type.***

3.5 Exemptions for Buildings

DOEE regulations allow exemptions from the benchmarking regulations under certain conditions. Major exemption categories are listed below. The exempted categories of building conditions are not new, but are listed here for clarity. All exemption requests should be made in writing to info.benchmark@dc.gov. DOEE has final authority on whether to grant any exemption.

- ***Unoccupied:*** A building may apply for an “unoccupied” exemption if, on average, less than one full-time-equivalent employee or resident worked or lived in the building,

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

exclusive of security guards, janitors, construction workers, landscapers, and other maintenance personal, during the year being reported. (20 DCMR 3511.2(d))

- **National Security or Public Interest:** If you believe the disclosure of the energy use of the building would be harmful to national security or otherwise not in the public interest, you may apply for an exemption from reporting or public disclosure. (20 DCMR 3511.2(b))
- **New Construction:** If your building received its Temporary or Permanent Certificate of Occupancy in the year being reported then reporting will commence once a full calendar year of utility data can be collected. (20 DCMR 3513.11(a))
- **Demolition:** If your building was demolished in the year being reported, then reporting is not required, as the building no longer exists. (20 DCMR 3513.1)
- **Under the size threshold:** If your building is smaller than 50,000 gross square feet, exclusive of parking garages, then it is not required to be benchmarked, unless it shares energy use with other buildings as described below. (20 DCMR 3513.1, 20 DCMR 3513.2(b))

4. Collecting Data for Multiple Buildings

If your property has meters shared across multiple buildings, or building systems (such as a central gas furnace) shared across multiple buildings, without sub-metering, then the energy use cannot be attributed to any individual building. In such cases, the buildings must be benchmarked as a single property in Portfolio Manager[®]. Hospitals, K-12 schools, and multifamily housing properties in this situation should be benchmarked as a single property. University campuses and other large campuses comprised of buildings with vastly differing uses should benchmark and report in the same manner as any other property in Portfolio Manager[®] but select “More than One” and the number of buildings in the first screen when creating a property.

Note that if you have multiple buildings that are separately metered for all energy sources, but share a common water meter, DOEE recommends that you pro-rate the water use across the buildings by their gross floor area. More guidance from EPA on benchmarking campuses can be found at: <https://www.energystar.gov/buildings/tools-and-resources/how-benchmark-campus>

Worksheet A. General Building Information

Facility Name: _____

Street Address: _____ Quadrant: _____

City: Washington State: DC ZIP _____

Year Built: _____

DC Real Property ID(s) (Square-Suffix-Lot (SSL), Parcel, or Complex number(s)):

Total Gross Floor Area: _____ sq. ft.

Occupancy Percentage: _____%

Total Irrigated Area (Multifamily buildings only): _____ sq ft.

Worksheet B. Property Use Attributes

- Portfolio Manager has over 80 different property types. However, only 21 are eligible for a 1-100 score. For help choosing the appropriate property type, refer to the Portfolio Manager Help website at www.energystar.gov/benchmark and click on *Identify your property type*.
- Property use attributes are used by Portfolio Manager to calculate the Energy Use Intensity per square foot and, where applicable, the 1-100 ENERGY STAR score.
- Some properties may contain multiple use types within a single building (e.g., office, data center, parking, swimming pool, etc.). Select as many major use types as are applicable to your building and fill in their respective information as necessary.
- **Portfolio Manager fields that are optional in the software tool, but are required to be entered by the District, are highlighted in grey block within each category.**
- If your property has multiple tenants with the same use type, these uses need to be entered separately only when the number of weekly operating hours among tenants differs by more than 10 hours.
- If the values for a property use attribute changed over the course of the year, you need only record the average value for the year. (However, if the value changed by more than 10%, then it may improve your score to record the date of this change and both the old and new values. The form has a space at the end of Section B where you can note this; for assistance entering this data correctly, contact the [Benchmarking Help Center](#).)

B.1: Types Eligible for a Score

The following property use types are eligible for an ENERGY STAR score and, if present in your building, must be included when benchmarking. Property Use Attributes that must be collected for these types follow; for simplicity, types with the same data collection requirements have been grouped together. Definitions for all space types listed below can be found in [EPA's ENERGY STAR Portfolio Manager Glossary](#).

- Bank branch
- Barracks
- Courthouse
- Data center
- Distribution center
- Financial office
- Hospital (general medical/surgical)
- Hotel
- K-12 school
- Medical office
- Multifamily housing
- Non-refrigerated warehouse
- Office
- Refrigerated warehouse
- Residence hall/ dormitory
- Retail store
- Senior care community
- Supermarket/grocery store
- Wastewater treatment plant
- Wholesale club/supercenter
- Worship facility

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

Office / Financial Office / Bank Branch / Courthouse

Required:

_____ Gross Floor Area (sq. ft.)

_____ Weekly Operating Hours

_____ Number of workers on main shift

_____ Number of computers

_____ Percent of floor area that is air conditioned (50% or more, less than 50%, or none)

_____ Percent of floor area that is heated (50% or more, less than 50%, or none)

Medical Office

Required:

_____ Gross Floor Area (sq. ft.)

_____ Weekly Operating Hours

_____ Number of workers on main shift

_____ Percent of Property that can be heated (in 10% increments)

_____ Percent of Property that can be cooled (in 10% increments)

Optional:

_____ Surgery Center Floor Area

_____ Number of surgical operating beds

_____ Number of MRI machines

Hospital (general medical & surgical)

Required:

_____ Gross floor area (sq. ft.)

_____ Number of staffed beds

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

_____ Number of Full Time Equivalent (FTE) workers

_____ Number of MRI machines

_____ Licensed Bed Capacity

_____ Number of Workers on Main Shift

_____ Percent of Property that can be heated (in 10% increments)

_____ Percent of Property that can be cooled (in 10% increments)

Optional:

_____ Onsite Laundry Facility (Yes or No)

_____ Laboratory on-site (Yes or No)

_____ Tertiary care facility (Yes or No)

_____ Maximum number of floors

_____ Ownership Status (non-profit, for-profit, government)

Hotel

Required:

_____ Gross floor area (sq. ft.)

_____ Number of rooms

_____ Number of workers on main shift

_____ Cooking Facility (Yes or No)

_____ Number of commercial refrigeration/freezer units

_____ Percent of Property that can be heated (in 10% increments)

_____ Percent of Property that can be cooled (in 10% increments)

Optional:

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

- _____ Number of guest meals served per year
- _____ Hours per day the guests are on-site
- _____ Type of laundry facility (choose one: no laundry facility, linens only (e.g. bed/table linens), terry only (e.g. towels, bathrobes), both linens and terry)
- _____ Amount of laundry processed on-site annually
- _____ Full-service spa floor area
- _____ Gym/fitness center floor area

Data Center

Required:

- _____ Gross floor area (sq. ft.)
- _____ IT Energy Configuration – Select one from:
 - Uninterruptible Power Supply (UPS) Meter supports only IT Equipment. (Preferred)
 - UPS Meter includes non-IT load of 10% or less.
 - UPS Meter includes non-IT load greater than 10%. Non-IT load is sub-metered.
 - UPS Meter includes non-IT load greater than 10%. Non-IT load is not sub-metered.
 - Facility has no UPS Meter.
- _____ UPS System Redundancy (N, N+1, N+2, 2N, greater than 2N, none of the above)
- _____ Cooling System Redundancy (N, N+1, N+2, 2N, greater than 2N, none of the above)

IT Energy Data – 12 months of measured energy consumption data is required from either the UPS or PDU Meter, depending on IT Energy Configuration. This is entered as an additional meter in Portfolio Manager.

Meter Type (select 1): UPS Output or PDU Input		
Month Start Date	Month End Date	kWh

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

K-12 school

Required:

_____ Gross Floor Area (sq. ft.)

_____ High School

_____ Number of Workers on Main Shift

_____ Weekend Operation

_____ Cooking Facilities

_____ Percent That Can Be Heated

_____ Percent That Can Be Cooled

_____ Gymnasium Floor Area/Student Section Capacity

_____ Months in Use

_____ Number of Computers

_____ Number of Walk-in Refrigeration/Freezer Unit

_____ School District

Multifamily Housing

Required:

_____ Gross floor area (sq. ft.)

_____ Total number of residential living units

_____ Total number of residential living units in a low-rise setting (1-4 stories)

_____ Total number of residential living units in a mid-rise setting (5-9 stories)

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

_____ Total number of residential living units in a high-rise setting (10 or more stories)

_____ Number of bedrooms

_____ Resident population type (No specific type, Dedicated Student, Dedicated Military, Dedicated Senior/Independent Living, Dedicated Special Accessibility Needs, Other Dedicated Housing)

_____ Government subsidized housing (Yes or No)

_____ Percent of Property that can be heated (in 10% increments)

_____ Percent of Property that can be cooled (in 10% increments)

Optional:

_____ Number of laundry hookups in all units

_____ Number of laundry hookups in common area

Retail store/Supermarket/Grocery Store

Required:

_____ Gross Floor Area(sq. ft.)

_____ Weekly Operating Hours

_____ Number of Workers on Main Shift

_____ Number of Open or Closed Refrigeration/Freezer Units

_____ Number of Walk-in Refrigeration/Freezer Units

_____ Percent That Can Be Heated

_____ Percent That Can Be Cooled

Optional:

_____ Number of Cash Registers

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

_____ Number of Computers

_____ Length of All Open or Closed Refrigeration/Freezer Units

_____ Area of All Walk-in Refrigeration/Freezer Units

_____ Cooking Facilities

Residence Hall / Dormitory / Barracks

Required:

_____ Gross floor area (sq. ft.)

_____ Number of rooms

_____ Percent of Property that can be heated (in 10% increments)

_____ Percent of Property that can be cooled (in 10% increments)

_____ Computer lab on-site (Yes or No)

_____ Dining Hall on-site (Yes or No)

Senior care community

Required:

_____ Gross floor area (sq. ft.)

_____ Maximum resident capacity

_____ Average Number of Residents

_____ Total number of residential living units

_____ Number of workers on the main shift

_____ Number of computers

_____ Number of residential washing machines

_____ Number of commercial washing machines

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

_____ Number of residential electronic lift systems

_____ Number of commercial refrigeration/freezer units

_____ Percent of Property that can be heated (in 10% increments)

_____ Percent of Property that can be cooled (in 10% increments)

_____ Licensed Bed Capacity

Non-refrigerated & Refrigerated warehouse / Distribution center

Required:

_____ Gross Floor Area (sq. ft.)

_____ Weekly Operating Hours

_____ Number of Workers on Main Shift

_____ Percent Used for Cold Storage

_____ Percent That Can Be Heated

_____ Percent That Can Be Cooled

_____ Number of Walk-in Refrigeration/Freezer Units

Worship facility

Required:

_____ Gross Floor Area (sq. ft.)

_____ Weekly Operating Hours

_____ Seating Capacity

_____ Gross Floor Area Used for Food Preparation

_____ Percent That Can Be Heated

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

_____ Percent That Can Be Cooled

_____ Cooking Facilities

_____ Number of Weekdays Open

_____ Number of Computers

_____ Number of Commercial Refrigeration/Freezer Units

B.2: Secondary Spaces

The following secondary property use types should be included if their energy use contributes to the energy use of the building.

Note that parking floor area does not count towards the threshold for the District benchmarking reporting requirements. More information on accounting for parking can be found at:

<https://portfoliomanager.zendesk.com/hc/en-us/categories/201359858-Property-Information>

Parking:

Required:

_____ Open Parking Lot Size (sq. ft.)

_____ Partially Enclosed Parking Garage Size (sq. ft.)

_____ Complete Enclosed Parking Garage Size (sq. ft.)

_____ Supplemental Heating (Yes or No)

Swimming Pool:

Required:

_____ Swimming pool size, choose from:

- Olympic (50 meters x 25 meters)
- Short Course (25 yards x 20 yards)
- Recreational (20 yards x 15 yards)

_____ Location of Pool: Indoor or outdoor

_____ Number of months of use

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

B.3: Any Other Property Uses:

Any property use may be tracked in Portfolio Manager[®], and [over 60 other property use types are available for selection](#) in the tool. For these types that are not eligible for a 1-100 ENERGY STAR score, the only use attributes you need are the use type and the gross floor area. ***It is best practice to include all the energy use and floor area of the building.*** However, under certain specific conditions detailed in the [instructions in section 3.3](#), certain property uses and their requisite floor areas may be excluded from benchmarking in Portfolio Manager[®]. You must record the information here for your records and in the event of an audit.

Property Use Type: _____

Property Use Type: _____

Gross Floor Area: _____

Gross Floor Area: _____

Included in Benchmarking Report? Yes/No

Included in Benchmarking Report? Yes/No

Property Use Type: _____

Property Use Type: _____

Gross Floor Area: _____

Gross Floor Area: _____

Included in Benchmarking Report? Yes/No

Included in Benchmarking Report? Yes/No

B.4: Property Notes:

Required: Record in the notes field in Portfolio Manager any tenants that did not provide data for benchmarking as required. Information provided needs to include the tenant's name, contact information, and gross floor area leased.

Optional: Record notes about property use attributes, such as a change to an attribute over the course of the year (if the change was more than 10%) here:

Optional: Record contextual information you want to put into Portfolio Manager's notes field for public disclosure here. When entering this in Portfolio Manager, place “#” at each end to highlight it for disclosure.

DOEE Energy Benchmarking: District Data Collection Worksheet, 2018

Worksheet C. Meter Data

You need to collect monthly consumption information for all energy sources (usually just electricity and natural gas, but sometimes oil, propane, steam, etc.), and for water. Because most bills do not begin on the first of the month and go to the last day of the month, you will need to include additional months so that your data is inclusive of January 1, 2018 to December 31, 2018. If you are missing part of the year, DOEE will not accept your report. All information on utility data is available at <http://doee.dc.gov/page/energy-benchmarking-data-collection>.

The use of whole-building energy data, acquired either from your energy utility provider or your tenants, is required. For electricity and natural gas data, if you have five or more tenants, you can obtain aggregated whole-building data from Pepco or Washington Gas directly. For electricity, you will use Pepco's Resource Advisor tool (<https://www.pepco.com/WaysToSave/ForYourBusiness/Pages/DC/EnergyBenchmarking.aspx>) to access aggregate data and automatically load your building's electricity data directly into Portfolio Manager. For natural gas, you will use an online tool from Washington Gas called Utiliti (<https://www.washingtongas.com/business-owners/services/energy-benchmarking>) to access aggregate data and automatically upload natural gas data into Portfolio Manager.

If you have *less than five non-residential tenants*, you will need to have your tenants to provide you this data by filling out either a table similar to the example on the next page, or the Utility Account Information Data Release Form. This form is accessible on DOEE's [Energy Benchmarking Data Collection webpage](#), which authorizes you to request and receive your tenants' consumption data directly from the utility companies.

Electricity
Pepco Website: <https://www.pepco.com/WaysToSave/ForYourBusiness/Pages/DC/EnergyBenchmarking.aspx>
Phone Inquiries: 202-872-2040
E-mail aggregate and individual data requests to kast-south@pepco.com
Fax aggregate and individual data requests to (202) 872-3225

Natural Gas
Washington Gas Website: <https://www.washingtongas.com/business-owners/services/energy-benchmarking>
Phone Inquiries: 703-750-4773 (Option 2)
E-mail aggregate data requests to aggregateddata@washgas.com
E-mail single meter usage requests to customersupport@washgas.com
Fax aggregate and individual data requests to 703-750-4441

Water
DC Water Website: <http://www.dcwater.com/contact>
Phone: 202-354-3600
Email: custserv@dcwater.com

Other Utilities
(e.g. Fuel Oil Steam...): Contact your supplier(s). Note that reporting for delivery-based fuels can be done based on the delivery schedule. If the "Enter as Delivery" box is checked as you are creating the meter then you can just enter in delivery dates and amounts in order to comply.

