GOVERNMENT OF THE DISTRICT OF COLUMBIA
District Department of the Environment

Lead and Healthy Housing Division
Compliance & Enforcement Branch

NOTICE OF DUST SAMPLING FORM

20 DCMR §§ 3315.7, 3316.10(d), or 3318.7(c)

Property Address: _____

Quadrant (SE/SW/NW/NE): _____ Ward: _____

Unit(s) That Will be Tested_____

Building Type (Residential or Child-Occupied Facility):_____

Year Built: _____

Owner or Administrator Name: _____

Name of Dust Sampling Professional: _____

Certification Type: _____

Certification Number: _____

Certification Expiration Date: _____

Date of Dust Sampling: _____

Time of Dust Sampling: _____

Dust Sampling Professional Acknowledgement

In keeping with the obligations under the Lead-Hazard Prevention and Elimination Act of 2008, D.C. Law 17-381, effective March 31, 2009, as amended by the Lead-Hazard Prevention and Elimination Amendment Act of 2010, D.C. Law 18-348, effective March 31, 2011, D.C. Official Code § 8-231.01 *et seq* (2013 Supp.), I am completing and forwarding this Form to notify the District Department of the Environment that I will be conducting lead dust sampling at the above property at the stated date and time.

_____ _____

Dust Sampling Professional Signature Date

Please submit to:

DISTRICT DEPARTMENT OF THE ENVIRONMENT
LEAD AND HEALTHY HOUSING DIVISION / COMPLIANCE & ENFORCEMENT BRANCH
1200 FIRST STREET, N.E., 5th Floor / WASHINGTON, D.C. 20002
Fax: 202-481-3770 / Or email to: amber.sturdivant@dc.gov AND to obiora offor@dc.gov