

GOVERNMENT OF THE DISTRICT OF COLUMBIA
Department of Energy and Environment

Lead and Healthy Housing Division
Compliance and Enforcement Branch

NOTICE OF DUST SAMPLING FORM
20 DCMR §§ 3315.7, 3316.10(d), or 3318.7(c)

Property Address: _____

Quadrant (SE/SW/NW/NE): _____ Ward: _____

Unit(s) That Will be Tested _____

Building Type (Residential or Child-Occupied Facility): _____

Year Built: _____

Owner or Administrator Name: _____

Name of Dust Sampling Professional: _____

Dust Sampling Professional Contact #: _____

Certification Type: _____

Certification Number: _____

Certification Expiration Date: _____

Date of Dust Sampling: _____

Time of Dust Sampling: _____

Dust Sampling Professional Acknowledgement

In keeping with the obligations under the Lead-Hazard Prevention and Elimination Act of 2008, as amended (DC Law 17-381; D.C. Official Code § 8-231.01 *et seq*), I am completing and forwarding this Form to notify the Department of Energy and Environment that I will be conducting lead dust sampling at the above property at the stated date and time. I will immediately notify DOEE with an amended form.

Please submit to:

**DEPARTMENT OF ENERGY AND ENVIRONMENT
LEAD AND HEALTHY HOUSING DIVISION / COMPLIANCE & ENFORCEMENT BRANCH
1200 FIRST STREET, N.E., 5th Floor / WASHINGTON, D.C. 20002
Fax: 202-481-3770**

Dust Sampling Professional Signature

Date