

GOVERNMENT OF THE DISTRICT OF COLUMBIA
Department of Energy and Environment

CHAPTER 2 OPERATION PERMIT MEMORANDUM

TO: File

THROUGH: Stephen S. Ours, P.E. *SSO*
Chief, Permitting Branch

FROM: Abraham T. Hagos *ATH*
Environmental Engineer

SUBJECT: **United States Marine Corps, Marine Corps Barracks
Permit Numbers 6321-R2, 6322-R2 and 6323-R2
Permits to Operate Three (3) 8.37 MMBtu/hr boilers**

DATE: May 14, 2019

BACKGROUND INFORMATION

A permit renewal request for permit numbers 6321-R2, 6322-R2 and 6323-R2 to operate three (3) natural gas-fired 8.37 MMBtu/hr boilers at the United States Marine Corps Barracks, located at 8th and I Streets SE, was received by the Air Quality Division (AQD) on October 17, 2018. AQD indicated to the applicant that a full application package was required, so the applicant submitted a full package, received February 21, 2019 and revised February 28, 2019.

The permit action will be published in the DC Register and on DOEE's website on May 24, 2019. Public comments for the permit action will be solicited through June 24, 2019.

Marine Barracks has not requested that any of the materials submitted with this application be held confidential.

No new regulations were identified as applicable to the source. As such, a full regulatory analysis is not included in this memorandum. Note that the area source boiler rule (40 CFR 63, Subpart JJJJJ) is not applicable because the units are exclusively natural gas fired.

RECOMMENDATIONS

The proposed project and attached permit comply with all applicable federal and District air pollution control laws and regulations.

Public comments for the permit action will be solicited from May 24, 2019 through June 24, 2019. AQD will resolve any comments received before issuing the final permit. If no adverse public comments are received, I recommend that permit Nos. 6321-R2, 6322-R2, and 6323-R2 be issued in accordance with 20 DCMR 200.2 promptly upon the expiration of the public notice period. If comments are received, they will be addressed before final action on the applications are taken.

08032