



GOVERNMENT OF THE DISTRICT OF COLUMBIA  
Department of Energy and Environment

CHAPTER 2 TECHNICAL MEMORANDUM

TO: File

THROUGH: Stephen S. Ours, P.E.   
Chief, Permitting Branch

FROM: Olivia Achuko   
Environmental Engineer

SUBJECT: **GTS Auto Service and Body Work**  
**Permit No. 6213-R2 to Operate an Automotive Paint Spray Booth at 2310**  
**18<sup>th</sup> Place NE**

DATE: September 27, 2017

---

**BACKGROUND INFORMATION**

A permit application to operate an existing automotive paint spray booth at the GTS Auto Service and Body Work facility located at 2310 18<sup>th</sup> Place NE, Washington DC 20018, was received by the Air Quality Division (AQD) on May 31, 2016. The application is a renewal to a current permit to operate a custom-built automotive paint booth at the facility. The original permit was issued on August 3, 2009; the first renewal was issued on December 2, 2013. The permit (#6213-R1) is being renewed early to incorporate the District's new air quality regulation covering automotive painting, which is significantly different from the earlier regulation.

Based on the new regulation, it was discovered that the stack exit did not meet the requirement of being vented vertically upward. The source was contacted and the stack was redesigned. A picture showing the new redesigned stack was received on September 14, 2017. At this time, the application was considered complete. A completely revised permit will be issued which also serves as a renewal to the old permit.

AQD has determined that the facility is an existing source under the District of Columbia's newly promulgated (final December 1, 2016) "Motor Vehicle and Mobile Equipment Non-Assembly Line Coating Operations Regulations" (20 DCMR 718). Any automobile refinishing facility that starts operation after February 9, 2016 is a new source under this regulation; all others are existing sources. The new regulation is applicable to both new and existing sources.

According to their application, the facility has been under the current ownership since December 1995. It started operations as an auto body paint shop on July 1, 1996. Because the facility was actively engaged in surface coating prior to September 17, 2007, pursuant to 20 CFR 63.11171, the facility is considered an existing source with respect to 40 CFR 63, Subpart HHHHHH,

## **GTS Auto Service and Body Work**

**Permit No. 6213-R2 to Operate an Automotive Paint Spray Booth at 2310 18th Place NE**

September 27, 2017

Page 2

National Emission Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources.

This permit action will be published in the DC Register on October 6, 2017. Public comments for the permit action will be solicited through November 6, 2017.

The applicant has not requested that any of the materials submitted with this application be held confidential.

### **TECHNICAL INFORMATION**

The equipment at this site includes a custom built paint station used for full body auto painting, sanding, priming and other auto refinishing operations. There will be no use of methylene chloride (MeCl) at this facility. The company intends to use high volume low pressure (HVLP) spray guns and spray gun cleaning is done inside the paint booth while door is kept closed. After contacting the source to get further information on the gun cleaning process, Mr. John DeSousa confessed that he did not understand the question at the time. His further explanation of the gun cleaning led me to conclude that he should have checked the second option on the application form. Ms. Achuko who spoke to Mr DeSousa checked option 2 (An unatomized discharge of cleaning solvent into a paint waste container that is kept closed when not in use) on behalf of the source and initialed it.

This facility is an existing source under 40 CFR 63, as discussed above, therefore the compliance date for 40 CFR 63, Subpart HHHHHH was January 10, 2011.

It is difficult to accurately estimate emissions from an automotive paint spray booth due to the variations of coatings, job sizes, etc. that occur in a typical automotive paint shop. However, in order to determine a reasonable estimate for purposes of this evaluation, AQD referenced EPA's "Technical Support Document for Potential to Emit Guidance memo. Documentation of Emission Calculations" [Tim Smith, USEPA/OAQPS, April 1998]. Using an average VOC content of 3.5 pounds per gallon, this document estimates 4.8 pounds of VOCs could be emitted per average job. This document also estimates that a single paint booth could be used for no more than 25 jobs per week. Based on these estimates, AQD calculated potential emissions from the single paint booth of 3.12 tons per year of VOCs.

### **REGULATORY REVIEW**

20 DCMR Chapter 2, Section 200: General Permit Requirements:

An auto body spray paint booth is a potential air pollution source because most auto body paints, coatings, and solvents contain volatile organic compounds that are emitted upon use. Thus a Chapter 2 permit is required.

## **GTS Auto Service and Body Work**

**Permit No. 6213-R2 to Operate an Automotive Paint Spray Booth at 2310 18th Place NE**

September 27, 2017

Page 3

### 20 DCMR Chapter 6, Section 606: Visible Emissions

The visible emissions limitations of 20 DCMR 606 are applicable to this facility. Proper operation of the equipment would preclude any visible emissions from being emitted into the outdoor atmosphere from the operation of the paint/spray booth and other equipment at the facility. This more stringent requirement (required by 20 DCMR 201) is contained in Condition II(i).

### 20 DCMR Chapter 7: Volatile Organic Compound (VOC) Emissions Reduction

The requirements of 20 DCMR 700 were not included in the permit as they are not applicable when 20 DCMR 718 is applicable.

The facility is regulated under the newly revised 20 DCMR 718 which is the District's primary regulation for controlling air emissions from automotive painting operations. The requirements of this regulation have been included in the permit.

This memorandum will not cover all the detailed requirements of this regulation as they are extensive and make up the majority of the permit. However, highlights of the regulatory requirements include the following:

- Limits on allowable VOC content in coatings and solvents [Conditions II(b) and (c)];
- Limits on the coating methods and spray guns allowed [Conditions III(a) and (d) and related conditions];
- Emission point (stack) discharge height and exhaust velocity requirements [Condition III(c)] (primarily intended to reduce odor at ground level);
- Paint booth and filter specifications [Condition III(e)]; and
- Housekeeping and training requirements [Condition III(f)].

For all of these, appropriate monitoring, testing, and record keeping requirements have been included in the permit to ensure that compliance status can be determined.

### 20 DCMR Chapter 9, Section 903: Odorous or Other Nuisance Air Pollutants

"An emission into the atmosphere of odorous or other air pollutants from any source in any quantity and of any characteristic, and duration which is, or is likely to be injurious to the public health or welfare, or which interferes with the reasonable enjoyment of life or property is prohibited [20 DCMR 903.1]" is applicable to all sources. This requirement is contained in Condition II(h) of the permit. Many of the other conditions of the permit, especially many of those brought into the permit pursuant to 20 DCMR 718 are intended, at least in part, to reduce detectable odors. Should odors be problematic despite these requirements, Condition I(g), included in the permit pursuant to 20 DCMR 718.18, allows the Department to require the installation of additional control devices as necessary to ensure compliance.

**GTS Auto Service and Body Work**

**Permit No. 6213-R2 to Operate an Automotive Paint Spray Booth at 2310 18th Place NE**

September 27, 2017

Page 4

20 DCMR Chapter 14, Section 1409: Emission Standards for Hazardous Air Pollutants for Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources

This regulation adopts 40 CFR 63, Subpart HHHHHH by reference. Please see the discussion of 40 CFR 63, Subpart HHHHHH below in "Other Regulations".

Other Regulations:

40 CFR 63, Subpart HHHHHH, "National Emission Standards for Hazardous Air Pollutants: Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources" (also known as the "Auto Body NESHAP") is applicable to the facility. The rule applies to all motor vehicle and mobile equipment surface coating operations that paint with hazardous air pollutants (HAPs), including the collision repair industry. The compliance date for "existing" facilities such as this one was January 10, 2011. Many of the operational requirements of this regulation are similar to those of 20 DCMR 718. In some cases, 20 DCMR 718 references 40 CFR 63, Subpart HHHHHH.

To address the applicability of this regulation, it is indicated in the application that chemical paint strippers containing methylene chloride are not used at the site. Thus, the requirements for paint stripping are generally not applicable in this case. Condition II(a) of the permit was developed to ensure that no methylene chloride containing strippers are used at the facility.

The paint spray booth must meet the design requirements of 40 CFR 63.11173(e)(2)(ii). These requirements were included in the permit as Condition III(e)(3).

Condition III(e)(1) was written to allow the facility to use only exhaust filters with 98% or higher capture efficiency per 40 CFR 63.11173(e)(2)(i).

Condition III(a) of the permit was written to ensure compliance with the paint application technique specifications in both 20 DCMR 718.11 and 40 CFR 63.11173(e)(3). Similarly, the spray gun requirements of Condition III(d) were written to ensure compliance with 40 CFR 63.11173(e)(4) and 20 DCMR 718.15.

The training requirements of 40 CFR 63.11173(e)(1), (f), and (g) were included in the permit as Condition III(g).

All applicable record keeping requirements were included in Condition V of the permit. It should be noted that all records will be required to be kept for five years, rather than three per 20 DCMR 500.8, due to the more stringent five year requirement in 40 CFR 63.11178, the similar requirement in 20 DCMR 718.23, and the difficulty of having two different document retention policies for different sets of records.

The notification and reporting requirements of 40 CFR 63, Subpart HHHHHH are contained in Conditions VI(a) through (c).

**GTS Auto Service and Body Work**

**Permit No. 6213-R2 to Operate an Automotive Paint Spray Booth at 2310 18th Place NE**

September 27, 2017

Page 5

**RECOMMENDATIONS**

The application to operate the paint spray booth facility and the attached operating permit comply with all applicable federal and District air pollution control laws and regulations.

Public comments for the permit action will be solicited from October 6, 2017 through November 6, 2017. AQD will resolve any comments received before taking any final action on the permit. If no adverse comments are received, I recommend that permit No. 6213-R2 be issued in accordance with 20 DCMR 200.2 promptly upon the completion of the public review period.

SSO:NOA

66923

